Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050110018".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 09:28
L3	56	((ic ADJ2 chip) ADJ5 driv\$5) AND "345"/\$.CCLS. AND (("liquid-crystal" OR (liquid ADJ2 crystal)) ADJ3 display).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:26
L4	0	345/1.1-3.4.CCLS. AND 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:27
L5	. 2	"5576738".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:08
L6	28	3 AND bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:24
L7	872	(addres\$5 ADJ3 (device OR mean)) NEAR5 ((("read-only" OR "read only") ADJ2 memory) OR ram OR rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/16 11:26
L8	. 7	7 AND "345"/\$.CCLS. AND (("liquid-crystal" OR (liquid ADJ2 crystal)) ADJ3 display).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:26
L9	0	345/1.1-3.4.CCLS. AND 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:29
L10	0	345/1.1-3.4.CCLS. AND 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:27

			_			
L11	93	((modul\$5 ADJ3 display) OR (plural ADJ3 display)).AB. AND "345"/\$. CCLS. AND (address\$5 WITH (ram OR rom OR memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:36
L12	13	345/1.1-3.4.CCLS. AND 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:29
L13	26	((modul\$5 ADJ3 display) OR (plural ADJ3 display)).AB. AND "345"/\$. CCLS. AND (address\$5 WITH (ram OR rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:55
L14	2	"5523769".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 11:55
S1	9	345/1.1-3.4.CCLS. AND (ic ADJ3 chip) AND address\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:59
S2	18	345/1.1-3.4.CCLS. AND (ic ADJ3 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:24
S3	6162	(modul\$5 ADJ3 display).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:43
S4	351	"345"/\$.CCLS. AND S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:43
S5	38	345/1.1-3.4.CCLS. AND S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:17
S6	2	"5523769".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	-2006/03/15 08:59

		<u> </u>				
S7	293	display.AB. AND "345"/\$.CCLS. AND ((data ADJ3 (processor OR processing)) WITH decod\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:41
S8	78	(detect\$5 OR sens\$5) ADJ3 ((chang\$5) ADJ3 ((data OR content) ADJ5 frame))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:35
S9	12	display.AB. AND "345"/\$.CCLS. AND S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:28
S10	2	"20050110018".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:41
S11	6162	(modul\$5 ADJ3 display).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:37
S12	2	345/1.1-3.4.CCLS. AND S11 AND (address\$5 WITH (register OR semiconductor OR semi-conductor OR "ic chip"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:37
S13	6	345/1.1-3.4.CCLS. AND S11 AND (address\$5 WITH (memory OR ram OR rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/15 10:20
S14	6	345/1.1-3.4.CCLS. AND S11 AND (address\$5 NEAR7 (memory OR ram OR rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/03/15 10:21
S15	281	345/1.1-3.4.CCLS. AND (address\$5 NEAR7 (memory OR ram OR rom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:35
S16	19333	display.AB. AND (address\$5 NEAR5 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:36

S17	711	"345"/\$.CCLS. AND display.AB. AND (address\$5 NEAR5 ROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:36
S18	245	(("liquid-crystal" OR (liquid ADJ2 crystal)) ADJ3 display) AND S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:37
S19	6	345/1.1-3.4.CCLS. AND S11 AND (address\$5 WITH memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:37
S20	0	345/1.1-3.4.CCLS. AND S11 AND (address\$5 WITH rom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/15 10:37
S21	1	345/1.1-3.4.CCLS. AND S11 AND (address\$5 WITH ram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:41
S22	1147	"345"/\$.CCLS. AND (display AND (address\$5 NEAR5 (memory OR rom OR ram))).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 10:43
S23	6	S11 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:22
S24	14	(((driving ADJ3 circuit\$5) OR driver) NEAR5 encod\$5) AND (processor NEAR5 decod\$5) AND "345"/\$. CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:47
S25	100	(((driving ADJ3 circuit\$5) OR driver) NEAR5 encod\$5) AND (decod\$5) AND "345"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:37
S26	1695	(processor ADJ3 (includ\$5 OR compris\$5)) ADJ3 decod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:51

S27	70	((driver OR (driving ADJ3 (device	US-PGPUB;	OR	ON	2006/03/15 15:50
52.		OR component OR mean))) ADJ3 (includ\$5 OR compris\$5)) ADJ3 encod\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S28	0	S26 AND S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:50
S29	2	"20050093775".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:43